

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	474	709/203,217,219,223,224,225,226, 105.ccls. and ((select\$3 or choose or pick\$3 or chos\$3) near3 server) same request\$1 and (load adj balanc\$3)	US-PGPUB; USPAT	OR	OFF	2005/09/22 12:18
L2	9	1 and CIDR	US-PGPUB; USPAT	OR	OFF	2005/09/22 09:59
L3	1	group\$3 near3 (distance adj tuple\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/22 10:00
L4	7	(distance adj tuple\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/22 10:16
L5	1536	(leaf and parent) adj node\$1	US-PGPUB; USPAT	OR	OFF	2005/09/22 10:17
L6	0	5 and (CIDR adj space)	US-PGPUB; USPAT	OR	OFF	2005/09/22 10:17
L7	0	(CIDR adj space)	US-PGPUB; USPAT	OR	OFF	2005/09/22 10:17
L8	23266	((select\$3 or choose or pick\$3 or chos\$3) near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:18
L9	13	8 same (network adj distance) or (distance adj tuple\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:24
L10	87	client adj cluster\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:24
L11	2	creat\$3 near3 (client adj cluster\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:55
L12	2	(hierarchical\$2 adj tree) and (client adj cluster\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:57

L13	0	(hierarchical\$2 adj tree) near3 (client adj cluster\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:57
L14	1	(hierarchical\$2 adj tree) same (client adj cluster\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:58
L15	0	709/203,217,219,223,224,225,226, 105.ccls. and ((select\$3 or choose or pick\$3 or chos\$3) near3 server) same request\$1 and (load adj balanc\$3) and (hierachial\$2 adj tree)	US-PGPUB; USPAT	OR	OFF	2005/09/22 11:59
L16	6294	(round adj trip) near3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:59
L17	3932	(network or LAN) near2 distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 12:00
L18	10136	l16 or l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 12:00
L19	2	l18 same (client adj cluster\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 12:00
L20	7	l18 and (client adj cluster\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 12:01

L21	0	CIDR adj space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 12:01
L22	515	709/203,217,219,223,224,225,226;718/105.ccls. and ((select\$3 or choose or pick\$3 or chos\$3) near3 server) same request\$1 and (load adj balanc\$3)	US-PGPUB; USPAT	OR	OFF	2005/09/22 12:23
S1	50	("6185619" "6606643" "6081900" "6052718" "6128623" "6128627" "6167438" "6205481" "6209003" "6289358" "6292880" "6453319" "5774660" "6622157" "6035303" "6185598" "6070191" "6351775" "6415323" "6263371" "6138156" "6195693" "5941951" "5956482" "6006264" "6038601" "6144996" "6175832" "5787470" "5926798" "6021426" "6081907" "6108706" "6138162" "6336137" "6401126" "6411986" "6609150" "5671225" "5673362" "5708780" "5905872" "5924116" "5940796" "5940795" "5950163" "6029175" "6055534" "6085193" "6094675").pn.	USPAT	OR	OFF	2004/02/05 12:50
S2	347	709/217,219,223,224,225,226,105. ccls. and load and balance	USPAT	OR	OFF	2004/02/05 14:56
S3	4	709/217,219,223,224,225,226,105. ccls. and (load and balance).ab.	USPAT	OR	OFF	2004/02/05 14:57
S4	29	709/217,219,223,224,225,226,105. ccls. and network adj distance	US-PGPUB; USPAT	OR	OFF	2005/09/22 08:04
S5	41	load and balanc\$3 and (network adj distance)	US-PGPUB; USPAT	OR	OFF	2004/02/05 15:04
S6	12	locat\$3 same (closest adj server)	USPAT	OR	OFF	2004/03/15 18:45
S7	1	"6335158".pn.	USPAT	OR	OFF	2004/03/15 18:45
S8	1	"6332158".pn.	USPAT	OR	OFF	2004/03/15 18:47
S9	1	distance adj tuple\$1	USPAT	OR	OFF	2004/03/16 18:09
S10	242	network adj distance	US-PGPUB; USPAT	OR	OFF	2004/03/15 18:49
S11	0	(network adj distance) and closest adj sever	US-PGPUB; USPAT	OR	OFF	2004/03/15 18:49
S12	3	(network adj distance) and (closest adj server)	US-PGPUB; USPAT	OR	OFF	2004/03/15 18:50
S13	3	(network adj distance) and (best adj server)	US-PGPUB; USPAT	OR	OFF	2004/03/15 18:51

S14	185	best adj server	US-PGPUB; USPAT	OR	OFF	2004/03/15 18:51
S15	61	(best adj server) and dns	US-PGPUB; USPAT	OR	OFF	2004/03/15 18:51
S16	1	"6418478".pn.	USPAT	OR	OFF	2004/03/16 09:30
S17	40	tuple\$1 and DNS	USPAT	OR	OFF	2004/03/16 18:21
S18	35	leaf adj node\$1 and DNS	USPAT	OR	OFF	2004/03/17 15:50
S19	20858	data adj acquisition	USPAT	OR	OFF	2004/03/17 15:51
S20	51	(data adj acquisition) and dns	USPAT	OR	OFF	2004/03/17 15:55
S21	4	prun\$ same hierarchical adj tree	USPAT	OR	OFF	2004/03/17 16:20
S22	1	"6092178".pn.	USPAT	OR	OFF	2004/03/17 16:20
S23	1	"6070191".pn.	USPAT	OR	OFF	2004/03/17 16:21
S24	1	"6324580".pn.	USPAT	OR	OFF	2004/03/17 16:21
S25	1	"6327622".pn.	USPAT	OR	OFF	2004/03/17 16:21
S26	1	"6304913".pn.	USPAT	OR	OFF	2004/03/17 16:32
S27	1	"6671259".pn.	USPAT	OR	OFF	2004/03/17 16:24
S28	1	"6665702".pn.	USPAT	OR	OFF	2004/03/17 16:25
S29	1	"6606643".pn.	USPAT	OR	OFF	2004/03/17 16:25
S30	1	"5924116".pn.	USPAT	OR	OFF	2004/03/17 16:25
S31	1	"6351775".pn.	USPAT	OR	OFF	2004/03/17 16:25
S32	0	(creat\$3 or design\$3) near (client adj cluster\$1)	USPAT	OR	OFF	2004/09/21 12:03
S33	19	client adj cluster\$1	USPAT	OR	OFF	2004/09/21 12:07
S34	1	(client adj cluster\$1) same (network adj distance\$1)	US-PGPUB; USPAT	OR	OFF	2004/09/21 12:09
S35	10	determin\$3 near2 (network adj distance\$1)	US-PGPUB; USPAT	OR	OFF	2004/09/21 12:32
S36	15	(creat\$3 or map\$4) near2 ((client or node) adj cluster\$1)	US-PGPUB; USPAT	OR	OFF	2004/09/21 12:44
S37	9	("5559794" "5737311" "5959972" "5986783" "5999712" "6028862" "6046833" "6130876" "6198721").PN.	USPAT	OR	OFF	2004/09/21 12:35
S38	1	"5659777".PN.	USPAT	OR	OFF	2004/09/21 12:36
S39	1	"5799305".PN.	USPAT	OR	OFF	2004/09/21 12:36
S40	1	"6249801".pn.	US-PGPUB; USPAT	OR	OFF	2004/09/21 12:45
S41	73	(creat\$3 or map\$4 or assign\$3) near3 ((client or node) adj (cluster\$3 or group\$1))	USPAT	OR	OFF	2004/09/23 09:07
S42	9	(determin\$3 or decid\$3) near3 (network adj (distance or hop\$1))	USPAT	OR	OFF	2004/09/23 09:31

S43	12	("5031089" "5329619" "5495426" "5572643" "5644720" "5774660" "5828837" "5933606" "6006259" "6070191" "6070192" "6192408").PN.	USPAT	OR	OFF	2004/09/23 09:18
S44	13	("5600794" "5917820" "6052718" "6070191" "6078590" "6084858" "6115752" "6175869" "6256675" "6298381" "6487172" "6505254" "6553413").PN.	USPAT	OR	OFF	2004/09/23 09:21
S45	20	("4987587" "5088032" "5282270" "5345586" "5425090" "5430729" "5463735" "5600794" "5664107" "5740549" "5774660" "5812769" "5828847" "5845087" "5914953" "5930249" "5956716" "6052718" "6195703" "6351775").PN.	USPAT	OR	OFF	2004/09/23 09:25
S46	0	((creat\$3 or map\$4 or assign\$3) near3 ((client or node) adj (cluster\$3 or group\$1))) same ((determin\$3 or decid\$3) near3 (network adj (distance or hop\$1)))	USPAT	OR	OFF	2004/09/23 09:31
S47	0	((creat\$3 or map\$4 or assign\$3) near3 ((client or node) adj (cluster\$3 or group\$1))) and ((determin\$3 or decid\$3) near3 (network adj (distance or hop\$1)))	USPAT	OR	OFF	2004/09/23 09:31
S48	6	(creat\$3 or map\$4) near ((client or node) adj (cluster\$1 or groups))	USPAT	OR	OFF	2004/09/24 08:47
S49	9	("5418958" "5428793" "5748844" "5797012" "5828951" "5933644" "5950009" "5999737" "6064819").PN.	USPAT	OR	OFF	2004/09/24 08:30
S50	0	((client or node) adj (cluster\$1 or groups)) with (network adj distance\$1)	USPAT	OR	OFF	2004/09/24 08:48
S51	1	((client or node) adj (cluster\$1 or groups)) with (network adj distance\$1)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/24 08:48
S52	1	((client or node) adj (cluster\$1 or groups)) with (network adj (hop\$1 or distance\$1))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/24 08:52
S53	43	(load adj balanc\$3) same server\$1 same (probabilit\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/24 10:03
S54	1	"6279001".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/24 10:03

S55	1	"6418478".pn.	USPAT	OR	OFF	2004/03/16 09:29
S57	1836	(round adj trip adj time)	USPAT	OR	OFF	2005/04/08 14:09
S58	1899	(network or lan) near2 distance	USPAT	OR	OFF	2005/04/08 14:09
S59	3719	S57 or S58	USPAT	OR	OFF	2005/04/08 14:09
S60	153	S59 near3 (min or minimum or less or low\$3)	USPAT	OR	OFF	2005/04/08 14:10
S61	19	S60 same server	USPAT	OR	OFF	2005/04/08 14:10
S62	138	S57 same server	USPAT	OR	OFF	2005/04/08 14:52
S63	0	S62 same (client adj (cluster\$1 or group\$1))	USPAT	OR	OFF	2005/04/08 14:53
S64	544	(client adj (cluster\$1 or group\$1))	US-PGPUB; USPAT	OR	OFF	2005/04/08 14:53
S65	0	S57 same S64	US-PGPUB; USPAT	OR	OFF	2005/04/08 14:53
S66	185	(client adj (cluster\$1 or group\$1))	USPAT	OR	OFF	2005/04/08 14:54
S67	26	(client adj (cluster\$1))	USPAT	OR	OFF	2005/04/08 14:55
S68	138	S57 same server	USPAT	OR	OFF	2005/04/08 15:33
S69	1	S68 same cluster\$1	USPAT	OR	OFF	2005/04/08 14:56
S70	4	S57 same cluster	USPAT	OR	OFF	2005/04/08 14:57
S71	1	"6795858".pn.	USPAT	OR	OFF	2005/04/08 14:57
S72	25	("5414704" "5488412" "5506987" "5586121" "5818845" "5828655" "5859852" "5872773" "5892903" "5946047" "5946048" "5950205" "5953335" "5956346" "5959660" "5959968" "5959997" "5989060" "6006266" "6016388" "6050898" "6052718" "6345291" "6345294" "RE35774").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 14:57
S73	0	("6795858").URPN.	USPAT	OR	OFF	2005/04/08 15:00
S74	9	("5918228" "6029196" "6070191" "6092178" "6112239" "6119171" "6173311" "6405252" "6430619").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 15:26
S75	311	(cluster adj1 (machine\$1 or computer\$1 or client\$1))	USPAT	OR	OFF	2005/04/08 15:34
S76	0	S75 same S57	USPAT	OR	OFF	2005/04/08 15:34
S77	9	S57 and S75	USPAT	OR	OFF	2005/04/08 15:39
S78	217782	(cluster\$3 or map\$4)	USPAT	OR	OFF	2005/04/08 15:39
S79	6389	S78 near2 (client\$1 or group\$1 or machine\$1)	USPAT	OR	OFF	2005/04/08 15:40
S80	1	S79 same S57	USPAT	OR	OFF	2005/04/08 15:40

S81	32	CIDR adj address	USPAT	OR	OFF	2005/04/08 16:09
S82	0	distance and load adj tuple\$1	USPAT	OR	OFF	2005/04/08 16:09
S83	3	load adj tuple\$1	USPAT	OR	OFF	2005/04/08 16:09